



**PRIDE**<sup>®</sup>  
MOBILITY PRODUCTS LTD.  
LIVE YOUR BEST<sup>®</sup>

Large Scooter Range



Picture Features the Ranger

Pride Mobility Products is a world leader in the design, development and manufacture of mobility products, such as powerchairs, scooters and lift chairs. With flagship product ranges such as the Jazzy Range, the British manufactured Sitting Pretty range and our lightweight scooter technology. Pride Mobility are committed to helping improve people's lives with high quality products.

# Contents

## Colt Range

Colt Plus	04 - 05
Colt Twin	06 - 07
Colt Sport	08 - 09
Colt Pursuit ES13	10 - 11
Colt Pursuit	12 - 13
Colt Deluxe 2.0	14 - 15
Colt Executive	16 - 17

## Other Large Scooters

Zero Turn 10	18 - 19
Maxima	20 - 21
Ranger	22 - 23
Pursuit 2.0	24 - 25
ATMOS	26 - 27

Comparison Table	28 - 29
Accessories	30 - 31



Available on:



04 pride-mobility.co.uk



Can hold up to...



25 st

Can drive up to...




4 mph

Weighs only...



64.5 kg



Red



10" alloy pneumatic front & rear tyres



Easy to use LED tiller



LED lights

### KEY FEATURES

- Folding, black vinyl seat
- Indicators
- Large front tiller basket, as standard

### Specifications

Specifications	
Scooter	
Weight Capacity	25 st (159 kg)
Overall Length	1194 mm (47")
Overall Width	560 mm (22")
Front/Rear Tyres	Front: 254 mm (10") pneumatic Rear: 254 mm (10") pneumatic
Mobility	
Turning Radius	1370 mm (54")
Max Speed	4 mph (6.4 km/h)
Max. Obstacle Climb	50 mm
Battery	
Battery Requirements	2 x 30 Ah
Total Weight without batteries	64.5 kg
Battery Weight	10 kg



Available on:



Can hold up to...



25 st

Can drive up to...




4 mph


Weighs only...



62.5 kg



Red



Blue



Full lighting package



Unique twin wheel design



Large amount of leg room

### KEY FEATURES

- Comfortable high-back seat
- Easy to use tiller design
- Indicators
- Front tiller basket
- LED lights

### Specifications

Specifications	
Scooter	
Weight Capacity	25 st (159 kg)
Overall Length	1160 mm (46")
Overall Width	560 mm (22")
Front/Rear Tyres	Front: 230 mm (9") Rear: 250 mm (10")
Mobility	
Turning Radius	1067 mm (42")
Max Speed	4 mph (6.4 km/h)
Max. Obstacle Climb	50 mm
Battery	
Battery Requirements	2 x 30 Ah
Total Weight Without Batteries	62.5 kg
Battery Weight	9.75 kg



Available on:



Can hold up to...



25 st

Can drive up to...




8 mph


Weighs only...



68 kg



Matte  
Black




Stone  
Grey





10" alloy style pneumatic or solid tyres



High-intensity LED headlight



Suspension seat post

### KEY FEATURES

- Front and rear suspension suitable for outdoor driving on various terrains
- Comfortable seating – memory foam adjustable seat
- DX tiller

### Specifications

Scooter	
Weight Capacity	25 st (159 kg)
Overall Length	1194 mm (47")
Overall Width	657 mm (26")
Front/Rear Tyres	Front - 254 mm (10") - Solid or pneumatic Rear - 254 mm (10") - Solid or pneumatic
Mobility	
Turning Radius	1334 mm (52.5")
Max Speed	8 mph (12.9 km/h)
Max. Obstacle Climb	50 mm
Battery	
Battery Requirements	2 x 40 Ah
Total Weight Without Batteries	68 kg
Battery Weight	11 kg



Available on:



010 pride-mobility.co.uk



Can hold up to...



25 st

Can drive up to...




8 mph


Weighs only...



96 kg



Silver



Black



Front & rear suspension



Easy to use LED tiller control



Hi-visibility front and rear lighting

### KEY FEATURES

- Rear view mirror
- Standard large basket
- 13" alloy style pneumatic tyres
- Comfortable high back seat

### Specifications

Specifications	
Scooter	
Weight Capacity	25 st (159 kg)
Overall Length	1355 mm (53.5")
Overall Width	635 mm (25")
Front/Rear Tyres	Front - 330 mm (13") - pneumatic Rear - 330 mm (13") - pneumatic
Mobility	
Turning Radius	1606 mm (63.13")
Max Speed	8 mph (12.9 km/h)
Max. Obstacle Climb	100 mm
Battery	
Battery Requirements	2 x 50 Ah
Total Weight Without Batteries	96 kg
Battery Weight	22.11 kg



Available on:



012 [pride-mobility.co.uk](http://pride-mobility.co.uk)



Can hold up to...



25 st

Can drive up to...




8 mph


Weighs only...



78.5 kg



Blue



Red



Front and rear suspension



Full lighting package



Ultra-comfort seat

## KEY FEATURES

- Easy to use LCD tiller control
- Front tiller basket
- Indicators
- LED lights
- 13" low profile pneumatic tyres
- Front and rear suspension

## Specifications

### Scooter

Weight Capacity	25 st (159 kg)
Overall Length	1353 mm (53")
Overall Width	641 mm (25")
Front/Rear Tyres	Front: 254 mm (13") pneumatic Rear: 254 mm (13") pneumatic

### Mobility

Turning Radius	1695 mm (67")
Max Speed	8 mph (12.9 km/h)
Max. Obstacle Climb	100 mm

### Battery

Battery Requirements	50 Ah (Standard) 70 Ah (Optional)
Total Weight Without Batteries	78.5 kg
Battery Weight	50 Ah: 14.8 kg 70 Ah: 24 kg



Available on:



014 pride-mobility.co.uk



Can hold up to...



28 st 8 lbs

Can drive up to...




6 mph


Weighs only...



68 kg



Grey



Red



Blue  
Matt



Comfortable High Back Seat



Integrated USB Charging Point for Device



Pneumatic Tyres With Solid Tyres Available

### KEY FEATURES

- Rear view mirror
- Standard large basket
- Cup holder/ storage
- Super bright LED front/ back lights
- Non - scuff, low-profile tyres
- Front and rear suspension

### Specifications

Specifications	
Scooter	
Weight Capacity	28 st 8 lbs (181 kg)
Overall Length	1194 mm (47")
Overall Width	560 mm (22")
Front/Rear Tyres	Front - 254 mm (10") - solid Rear - 254 mm (10") - solid
Mobility	
Turning Radius	1334 mm (52.5")
Max Speed	6 mph (10 km/h)
Max. Obstacle Climb	50 mm
Battery	
Battery Requirements	40 Ah
Total Weight Without Batteries	68 kg
Battery Weight	14.75 kg



Available on:



016 pride-mobility.co.uk



Can hold up to...



28 st 8 lbs

Can drive up to...




8 mph


Weighs only...



125 kg



Yellow



Black



Grey





High-performance ride quality



Full lighting package



13" Low-profile tyres

### KEY FEATURES

- Easy to use LCD tiller control
- Rear view mirror
- Large front tiller basket, as standard
- Indicators
- Comfortable high-back seat

### Specifications

Specifications	
Scooter	
Weight Capacity	28 st 8 lbs (182 kg)
Overall Length	1422 mm (56")
Overall Width	692 mm (27.25")
Front/Rear Tyres	Front: : 330 mm (13"), pneumatic Rear: 330 mm (13"), pneumatic
Mobility	
Turning Radius	1905 mm (75")
Max Speed	8 mph (12.9 km/h)
Max. Obstacle Climb	100 mm
Battery	
Battery Requirements	2 x 100 Ah
Total Weight Without Batteries	125 kg
Battery Weight	27.5 kg



Available on:



018 pride-mobility.co.uk

# ZERO TURN 10

Can hold up to...



28 st 8 lbs

Can drive up to...




6 mph


Weighs only...




82.5 kg weight



White



Red



Blue



Comfort - Trac suspension



LED lights with sequential turn signals



Delta tiller with wraparound handles

### KEY FEATURES

- Easy access tiller-mounted charger port
- Integrated storage/cup holder in the tiller
- Standard front basket
- Tiller adjustment area
- Three speed controller
- USB charger built into the tiller



Our iTurn Technology™ ensures effortless navigation in small spaces and around corners.

### Specifications

Scooter	
Weight Capacity	28 st 8 lbs (182 kg)
Overall Length	1219 mm (48")
Overall Width	613 mm (24.25")
Front/Rear Tyres	Front: 229 mm (9") Solid Rear: 273 mm (10.75") Solid
Mobility	
Turning Radius	1092 mm (43")
Max Speed	6 mph (10 km/h)
Max. Obstacle Climb	75 mm
Battery	
Battery Requirements	2 x 40 Ah
Total Weight Without Batteries	82.5 kg
Battery Weight	13.75 kg



Available on:



020 pride-mobility.co.uk

# MAXIMA

Can hold up to...



35 st 10 lbs

Can drive up to...



6 mph

Weighs only...




89 kg

(3W: 83 kg)



Blue



Red



Easily adjustable tiller



Black, flat-free non-scuffing tyres



Comfort seat

### KEY FEATURES

- Easy to use delta tiller
- Rear view mirror
- USB charger
- Available in a 3 wheel or 4 wheel
- Full LED light package
- Rear tail lights

Specifications		
Scooter	3-Wheel	4-Wheel
Weight Capacity	35 st 10 lbs (226.75 kg)	
Overall Length	1206 mm (47.5")	
Overall Width (without armrest)	686 mm (27")	
Front/Rear Tyres	Front: 257 mm (10.5") - solid Rear: 270 mm (10.75") - solid	Front: 265 mm (10") - solid Rear: 270 mm (10.75") - solid
Mobility		
Turning Radius	1275 mm (49")	1346 mm (53")
Max Speed	6 mph (10 km/h)	
Max. Obstacle Climb	50 mm	
Battery		
Battery Requirements	50 Ah	
Total Weight without batteries	83 kg	89 kg
Battery Weight	17 kg	



Available on:



022 pride-mobility.co.uk



Can hold up to...



25 st

Can drive up to...




8 mph

(Optional 4 mph setting)


Weighs only...



124 kg



Desert  
Sand



Stone  
Grey



User-friendly LED console



USB charger built into the tiller



Full LED lighting package

### KEY FEATURES

- Partial recline black vinyl, high-back seat
- 14.5" pneumatic tyres
- Comfort - Trac suspension
- Optional 100 Ah batteries
- Rear parking sensor with LED light
- Storage compartment
- Durable and stylish rear bumper
- Hydraulic handbrake

### Specifications

Specifications	
Scooter	
Weight Capacity	25 st (159 kg)
Overall Length	1556 mm (61.25")
Overall Width	829 mm (32.5")
Front/Rear Tyres	Front: 368 mm (14.5") pneumatic Rear: 368 mm (14.5") pneumatic
Mobility	
Turning Radius	2407 mm (94.75")
Max Speed *non incremental*	4 mph (6.4 km/h) 8 mph (12.9 km/h)
Max. Obstacle Climb	100 mm
Battery	
Battery Requirements	2 x 75 Ah (Standard) 2 x 100 Ah (Optional)
Total Weight Without Batteries	124 kg
Battery Weight	75 Ah 21.75 kg 100 Ah 27.5 kg



# PURSUIT<sup>2</sup>

Can hold up to...



25 st

Can drive up to...




8 mph

Weighs only...




100 kg


Available on:



Orange



White



Black






Front and rear suspension with black rims



Full lighting package



Ultra-comfort seat

### KEY FEATURES

- Front tiller basket
- Indicators
- LED lights
- 13" low profile pneumatic tyres
- Front and rear suspension



Grey

### Specifications

Specifications	
Scooter	
Weight Capacity	25 st (159 kg)
Overall Length	1460 mm (57.48")
Overall Width	753 mm (29.65")
Front/Rear Tyres	Front: 330 mm (13") pneumatic Rear: 330 mm (13") pneumatic
Mobility	
Turning Radius	1760 mm (57.48")
Max Speed	8 mph (12.9 km/h)
Max. Obstacle Climb	100 mm
Battery	
Battery Requirements	1 x 50 Ah Li 2 x 50 Ah Li (optional)
Total Weight Without Batteries	100 kg
Battery Weight	10.8 kg each



# ATMOS

Can hold up to...



25 st

Can drive up to...




8 mph

Weighs only...



113 kg

Available on:



Blue



Front & Rear Suspension



Generously sized footplate for extra room



Adjustable armrests







### KEY FEATURES

- Front and Rear Suspension
- Adjustable armrests
- Generously sized footplate for extra room



### Specifications

Specifications	
Scooter	
Weight Capacity	25 st (159 kg)
Overall Length	1420 mm (55.9")
Overall Width	687-707 mm (27-27.83")
Front/Rear Tyres	Front: 330 mm (13") - Pneumatic Rear: 330 mm (13") - Pneumatic
Mobility	
Turning Radius	2090 mm (82.28")
Max Speed	8 mph (12.9 km/h)
Max. Obstacle Climb	100 mm
Drivetrain	24v DC Motor
Dual Breaking System	Regenerative & Electromechanical
Battery	
Battery Requirements	2 x 75 Ah Deep Cycle
Battery Charger	Off-Board
Battery Weight	22.14 kg
Total Weight Without Batteries	113.39 kg

# Comparison Table

						
<b>Scooter</b>						
Weight Capacity	25 st (159 kg)	25 st (159 kg)	25 st (159 kg)	25 st (159 kg)	25 st (159 kg)	25 st 8 lbs (181 kg)
Overall Length	1194 mm (47")	1160 mm (46")	1194 mm (47")	1355 mm (53.5")	1353 mm (53")	1194 mm (47")
Overall Width	560 mm (22")	560 mm (22")	635 mm (26")	635 mm (25")	641 mm (25")	560 mm (22")
Front Tyres	254 mm (10") pneumatic	230 mm (9")	254 mm (10") - pneumatic or solid tyres	330 mm (13") pneumatic	254 mm (13") pneumatic	254 mm (10") solid
Back Tyres	254 mm (10") pneumatic	250 mm (10")	254 mm (10") - pneumatic or solid tyres	330 mm (13") pneumatic	254 mm (13") pneumatic	254 mm (10") solid
<b>Mobility</b>						
Turning Radius	1370 mm (54")	1067 mm (42")	1334 mm (52.5")	1606 mm (63.13")	1695 mm (67")	1334 mm (52.5")
Max Speed	4 mph (6.4 km/h)	4 mph (6.4 km/h)	8 mph (12.9 km/h)	8 mph (12.9 km/h)	8 mph (12.9 km/h)	6 mph (10 km/h)
Max. Obstacle Climb	50 mm	50 mm	50 mm	100 mm	100 mm	50 mm
<b>Battery</b>						
Battery Requirements	2 x 30 Ah	2 x 30 Ah	2 x 40 Ah	2 x 50 Ah	50 Ah (Standard) 70 Ah (Optional)	40 Ah
Total Weight Without Batteries	64.5 kg	62.5 kg	68 kg	96 kg	78.5 kg	68 kg
Battery Weight	10 kg	9.75 kg	11 kg	22.11 kg	50 Ah: 14.8 kg 70 Ah: 24 kg	14.75 kg

\*All specifications may vary slightly. For exact details on all our products. Please check the product specification sheet found online.

		MAXIMA				
		3 Wheels	4 Wheels			
28 st 8 lbs (182 kg)	28 st 8 lbs (182 kg)	35 st 10 lbs (226.75 kg)		25 st (159 kg)	25 st (159 kg)	25 st (159 kg)
1422 mm (56")	1219 mm (48")	1206 mm (47.5")		1556 mm (61.25")	1460 mm (57.48")	1420 mm (55.9")
692 mm (27.25")	613 mm (24.25")	686 mm (27")		829 mm (32.5")	753 mm (29.65")	687-707 mm (27-27.83")
330 mm (13") pneumatic	229 mm (9") solid	257 mm (10.5") - solid	265 mm (10") - solid	368 mm (14.5") pneumatic	330 mm (13") pneumatic	330 mm (13") - Pneumatic
330 mm (13") pneumatic	273 mm (10.75") solid	270 mm (10.75") - solid	270 mm (10.75") - solid	368 mm (14.5") pneumatic	330 mm (13") pneumatic	330 mm (13") - Pneumatic
1905 mm (75")	1092 mm (43")	1275 mm (49")	1346 mm (53")	2407 mm (94.75")	1760 mm (57.48")	2090 mm (82.28")
8 mph (12.9 km/h)	6 mph (10 km/h)	6 mph (10 km/h)		4 mph (6.4 km/h) 8 mph (12.9 km/h)	8 mph (12 km/h)	8 mph (12.9 km/h)
100 mm	75 mm	50 mm		100 mm	100 mm	100 mm
2 x 100 Ah	2 x 40 Ah	2 x 55 Ah		2 x 75 Ah (Standard) 2 x 100 Ah (Optional)	1 x 50 Ah Li 2 x 50 Ah Li (optional)	2 x 75 Ah Deep Cycle
125 kg	82.5 kg	83 kg	89 kg	124 kg	100 kg	113.39 kg
27.5 kg	13.75 kg	16.5 kg		75 Ah 21.75 kg 100 Ah 27.5 kg	10.8 kg each	22.14 kg

# Accessories

## XLR USB Charger & Phone Mounts



Charge your phone on the go!  
This can be used while your powerchair or scooter is in motion.

## Baskets & Bags



Our handy and versatile range of additional large baskets and storage bags make transporting your essentials hassle free.

## Rear Oxygen Tank Holder



Featuring 2 thumb screws for safe transportation.

## Rear View Mirror



Optional rear view mirror for enhanced visibility and safety.

## Crutch & Walker Holders



Quick and easy access for your cane, crutch or walking stick with our selection of holders.

## Foldable Travel Bags



Light and durable travel bags for the Quest, iGo, iGo Plus and iGo Fold.

## Cup Holders



Satisfy your thirst on the move with our handy drinks holders, compatible with most of our range of products.

## Replacement Keys



We offer a replacement key service.

# PRIDE®

MOBILITY PRODUCTS LTD.  
LIVE YOUR BEST®



Not found what you're looking for?  
Why not look at our Travel Scooter or Powerchair Ranges?





SITTING PRETTY  
HUDSON RANGE

Sitting Pretty  
by Pride Mobility Ltd

Looking for Rise and Recline furniture?  
Why not check out our  
Sitting Pretty chair and bed ranges?



“Having tried various other brands, I opted for Pride! The Colt range is the most comfortable option on the market and excellent quality! Highly recommend!”

# PRIDE<sup>®</sup>

MOBILITY PRODUCTS LTD.

LIVE YOUR BEST<sup>®</sup>



PRIDE<sup>®</sup>  
MOBILITY PRODUCTS LTD.  
LIVE YOUR BEST<sup>®</sup>

Travel Scooter Range

Travel Scooter Range



PRIDE<sup>®</sup>  
MOBILITY PRODUCTS LTD.  
LIVE YOUR BEST<sup>®</sup>

Powerchair Range

Powerchair Range



Sitting Pretty<sup>®</sup>  
by Pride Mobility Ltd.

Rise and Recline Chair Range

Sitting Pretty Rise and Recline  
Chair Range



Sitting Pretty<sup>®</sup>  
by Pride Mobility Ltd.

Adjustable Bed Range

Sitting Pretty Adjustable  
Bed Range



REV 03 - 16/06/2023



Pride Mobility Products LTD  
32 Wedgwood Road  
Bicester, Oxon  
OX26 4UL  
ENGLAND

Pride Mobility Products LTD reserve the right to alter, at any time, without prior notice, the design, Specification, packaging or price without the incurring any obligation

01869 324600

sales@pride-mobility.co.uk

pride-mobility.co.uk