



PRIDE[®]
MOBILITY PRODUCTS LTD.
LIVE YOUR BEST[®]

Powerchair Range



Picture Features Jazzy Select 6

Pride Mobility Products is a world leader in the design, development and manufacture of mobility products, such as powerchairs, scooters and lift chairs. With flagship product ranges such as the Jazzy Range, the British manufactured Sitting Pretty range and our lightweight scooter technology. Pride Mobility are committed to helping improve people's lives with high quality products.

Contents

iGO Range

iGO	04 - 05
iGO+	06 - 07
iGO Lite	08 - 09
iGO Fold	10 - 11

Fusion Range

Fusion	12 - 13
Fusion E	14 - 15

Jazzy Range

Jazzy® Select	16 - 17
Jazzy Evo	18 - 19
Jazzy® 600 ES	20 - 21
Jazzy Air® 2	22 - 23

Other Powerchairs

Go Chair®	24 - 25
-----------	---------

Other information

Comparison Table	26 - 27
Accessories	28 - 29



Available on:



Can hold up to...



18 st 12 lbs

Can drive up to...



3 mph

Weighs only...



19.8 kg



Silver



Storage compartment



Micon control system



Front suspension

KEY FEATURES

- Comfortable seating system
- Comfortable cushion comes as standard
- Solid tyres
- Easy to fold
- Flight safe batteries

Folds in just a few steps



Specifications

Scooter	
Weight Capacity	18 st 12 lb (120 kg)
Overall Length	900 mm (35.4")
Overall Width	600 mm (23.6")
Front/Rear Tyres	Front 178mm (7") Rear 216 mm (8.5")
Mobility	
Turning Radius	900 mm (35.4")
Max Speed	3 mph (4.83 km/h)
Max. Obstacle Climb	30 mm
Battery	
Battery Requirements	2 x 6.6 Ah Lithium Battery (Standard) 2 x 10 Ah Lithium Battery (Optional)
Total Weight without batteries	19.8 kg
Battery Weight	6.6 Ah: 1.4 kg



Available on:



06 pride-mobility.co.uk



Can hold up to...



17 st 12 lbs

Can drive up to...



4 mph

Weighs only...



24 kg



Silver



Suspension



Swing away
micon control
system



Large footplate

KEY FEATURES

- Foam seat comes as standard
- Mesh cup holder
- Under seat storage
- Flight safe batteries

Folds in just a few simple steps



Specifications

Specifications	
Scooter	
Weight Capacity	17 st 12 lbs (113 kg)
Overall Length	1016 mm (40")
Overall Width	597 mm (23.5")
Front/Rear Tyres	Front: 203 mm (8") Solid Rear: 305 mm (12") Pneumatic
Mobility	
Turning Radius	616 mm (24.25")
Max Speed	4 mph (6.4 km/h)
Max. Obstacle Climb	40 mm
Battery	
Battery Requirements	1 x 18 Ah (Standard) 1 x 10 Ah (Optional)
Total Weight without batteries	24 kg
Battery Weight	18 Ah 3.4 kg 10 Ah 2.4 kg



Available on:



08 pride-mobility.co.uk

GO lite

Can hold up to...



21 st 3 lbs

Can drive up to...




4 mph

Weighs only...



18 kg



Black carbon fibre



On-board USB charger



Large secure underseat storage



Solid tyres

KEY FEATURES

- Lightweight carbon fibre frame
- Back seat pocket for extra storage
- USB charger
- Foldable footplate
- Under seat storage bag
- Flight safe batteries
- Simple one touch folding system

Carbon fibre frame making it both compact and light



Specifications

Specifications	
Scooter	
Weight Capacity	21 st 3 lbs (135 kg)
Overall Length	940 mm (37")
Overall Width	610 mm (24")
Front/Rear Tyres	Front: 178 mm (7") Solid Rear: 216 mm (8.5") Pneumatic
Mobility	
Turning Radius	900 mm (35")
Max Speed	4 mph (6.4 km/h)
Max. Obstacle Climb	60 mm
Battery	
Battery Requirements	1 x 12 Ah Lithium Battery
Total Weight without batteries	18 kg
Battery Weight	1.8 kg



Available on:



010 pride-mobility.co.uk

IGO FOLD

Can hold up to...



18 st 8 lbs

Can drive up to...




5 mph


Weighs only...



27.8 kg



Black



Silver



Remote controll
automatic
folding system



Back seat pocket



Portable USB

KEY FEATURES

- Key fob auto folding mechanism
- Adjustable LED light
- LED indicators
- Under seat storage bag
- Foldable footplate
- Back seat pocket for extra storage



Key fob auto
folding mechanism

Specifications

Specifications	
Scooter	
Weight Capacity	18 st 8 lb (120 kg)
Overall Length	1100 mm (43.3")
Overall Width	620 mm (24.4")
Front/Rear Tyres	Front: 195 mm (7.6") Rear: 250 mm (9.8")
Mobility	
Turning Radius	650 mm (25.59")
Max Speed	5 mph (8 km/h)
Max. Obstacle Climb	90 mm
Battery	
Battery Requirements	1 x 20 Ah Lithium Battery
Total Weight without batteries	27.8 kg
Battery Weight	4.6 kg



Can hold up to...



21 st

Can drive up to...



4 mph

Weighs only...




74 kg

Available on:



Crash
tested



Silver



Swing-away joystick



Handy swing away footplates



Individual freewheel levers

KEY FEATURES

- Height adjustable armrests
- Easy to use VR2 control system
- 3 different colour panels available
- Comfortable ION seat

Specifications

Specifications	
Scooter	
Weight Capacity	21 st (136 kg)
Overall Length	890 mm (35")
Overall Width	635 mm (21")
Front/Rear Tyres	Front: 230 mm (9") Pneumatic Rear: 355 mm (21") Pneumatic
Mobility	
Turning Radius	530 mm (21")
Max Speed	4 mph (6.4 km/h)
Max. Obstacle Climb	60 mm
Battery	
Battery Requirements	2 x 50 Ah deep cycle
Total Weight without batteries	74 kg
Battery Weight	17 kg



Available on:



014 pride-mobility.co.uk

FUSION^e

Can hold up to...



23 st 6 lbs

Can drive up to...




4 mph

Weighs only...



86 kg



Black



VR2 control system



Optional lights and indicators



Rear suspension

KEY FEATURES

- Solid or Pneumatic tyres
- Independent rear wheel drive system
- Seat recline

Specifications

Specifications	
Scooter	
Weight Capacity	23 st 6 lbs (150 kg)
Overall Length	1050 mm (41.33")
Overall Width	630 mm (24.8")
Front/Rear Tyres	Front: 254 mm (10") Solid Rear: 355 mm (14") Solid
Mobility	
Turning Radius	641.5 mm (25.25")
Max Speed	4 mph (6.4 km/h)
Max. Obstacle Climb	60 mm
Battery	
Battery Requirements	2 x 50 Ah
Total Weight without batteries	86 kg
Battery Weight	17 kg



Available on:



016 pride-mobility.co.uk

Jazzy[®]

SELECT

Can hold up to...



21 st 6 lbs

Can drive up to...




4 mph

Weighs only...




42.5 kg

(base only)



Red



Blue



Active-Trac®
suspension



Seat depth
adjustable



Flip out footplate

KEY FEATURES

- Intuitive easy to operate controller
- Chunky 10" drive tyres

Specifications

Specifications	
Scooter	
Weight Capacity	21 st 6 lbs (136 kg)
Overall Length	1118 mm (44")
Overall Width	603 mm (23.75")
Front/Rear Tyres	Front: 146 mm (5.75") Solid Rear: 254 mm (10") Solid
Mobility	
Turning Radius	571 mm (22.5")
Max Speed	4 mph (6.4 km/h)
Max. Obstacle Climb	40 mm
Battery	
Battery Requirements	2 x 30 Ah
Total Weight without batteries (base only)	42.5 kg
Battery Weight	11.5 kg



Jazzy[®] EVO 613Li

Can hold up to...



21 st 6 lbs

Can drive up to...




5 mph

Weighs only...



64.5 kg


Available on:



Iceberg
Blue



Robin
Egg Blue



Black



Height, width and angle adjustable armrests




Narrow width of 22"



13" drive wheels

KEY FEATURES


- Mid-wheel 6® Technology for maximum stability
- Memory foam swivel seat
- Convenient controller access



Red



Sugar Plum



White

Specifications

Scooter

Weight Capacity	21 st 6 lbs (136 kg)
Overall Length	1041 mm (41")
Overall Width	599 mm (22")
Front/Rear Tyres	Front: 126 mm (5") Rear: 330 mm (15")

Mobility

Turning Radius	559 mm (22")
Max Speed	5 mph (8 km/h)
Max. Obstacle Climb	45 mm

Battery

Battery Requirements	2 x 30 Ah
Total Weight without batteries (with standard seat)	64.5 kg
Battery Weight	8.25 kg



Available on:



020 pride-mobility.co.uk

Jazzy[®]

600 ES

Can hold up to...



21 st 6 lbs

Can drive up to...



4 mph


Weighs only...




56 kg
(base only)




Crash
tested



Red



Blue



Black



Fold flat seat



Extra storage



Angle, height and depth adjustable armrest

KEY FEATURES

- Exceptional handling over tough terrain
- Easy-access freewheel
- OMNI - casters on front and rear wheels to prevent hang-ups
- Active-Trac® suspension



Three optional seat sizes:

1. 16"W - 16" - 18"
2. 18"W - 18" - 20"
3. 20"W - 18" - 20"

Specifications

Specifications	
Scooter	
Weight Capacity	21 st 6 lbs (136 kg)
Overall Length	1022 mm (40.25")
Overall Width	622 mm (24.5")
Front/Rear Tyres	Front: 152 mm (6") solid Rear: 355 mm (14") solid
Mobility	
Turning Radius	521 mm (20.5")
Max Speed	4 mph (6.4 km/h)
Max. Obstacle Climb	70 mm
Battery	
Battery Requirements	2 x 50 Ah
Total Weight without batteries (base only)	56 kg
Battery Weight	16.9 kg



Jazzy air₂

Can hold up to...



21 st 6 lbs

Can drive up to...




4 mph

Weighs only...



91.5 kg

Available on:



Blue

Matte
Blue

Yellow

Silver



Drives safely at 4 mph while elevated at 12"



Fold flat seat



Angle and height adjustable headrest


KEY FEATURES

- Storage compartment
- Height adjustable footrest
- Bright LED marker lights
- Active-Trac[®] suspension with mid-wheel 6[®] technology
- High back reclining sport seat




Three optional seat sizes:


1. 16"W x 16" - 18"
2. 18"W x 18" - 20"
3. 20"W x 20" - 22"




Pink



Red



Matte Red



White

Specifications

Specifications	
Scooter	
Weight Capacity	21 st 6 lbs (136 kg)
Overall Length	1067 mm (42")
Overall Width	590 mm (23.25")
Front/Rear Tyres	Front: 152 mm (6"), solid Rear: 254 mm (10"), solid
Mobility	
Turning Radius	616 mm (24.25")
Max Speed	4 mph (6.4 km/h)
Max. Obstacle Climb	55 mm
Battery	
Battery Requirements	2 x 50 Ah
Total Weight Without Batteries	91.5 kg
Battery Weight	14.5 kg



Available on:



024 pride-mobility.co.uk

GOCHAIR

Can hold up to...



21 st 6 lbs

Can drive up to...




4 mph


Weighs only...




44.25 kg



Red



White



Blue



Disassembles into five pieces




Large comfortable footplate




Adjustable height and width armrest

KEY FEATURES

- Height and width adjustable armrests
- Dual swing-away under seat storage
- Large footplate



Yellow



Pink



Orange

Specifications

Specifications	
Scooter	
Weight Capacity	21 st 6 lbs (136 kg)
Overall Length	842 mm (33")
Overall Width	575 mm (22.5")
Front/Rear Tyres	Front: 152 mm (6") solid Rear: 229 mm (9"), solid
Mobility	
Turning Radius	648 mm (25.5")
Max Speed	4 mph (6.4 km/h)
Max. Obstacle Climb	30 mm
Battery	
Battery Requirements	2 x 18 Ah
Total Weight Without Batteries	44.25 kg
Battery Weight	14 kg

Comparison Table

						
Scooter						
Weight Capacity	18 st 12 lbs (120 kg)	17 st 12 lbs (113 kg)	21 st 3 lbs (135 kg)	18 st 8 lbs (120 kg)	21st (136 kg)	23 st 6 lbs (150 kg)
Overall Length	900 mm (35.4")	1016 mm (40")	940 mm (37")	1100 mm (43.3")	890 mm (35")	1050 mm (41.33")
Overall Width	600 mm (23.6")	597 mm (23.5")	610 mm (24")	620 mm (24.4")	635 mm (21")	630 mm (24.8")
Front Tyres	178 mm (7")	203 mm (8") Solid	178 mm (7")	195 mm (7.6")	230 mm (9") Pneumatic	254 mm (10") Solid
Rear Tyres	216 mm (8.5")	305 mm (12") Pneumatic	216 mm (8.5")	250 mm (9.8")	355 mm (21") Pneumatic	355 mm (14") Solid
Mobility						
Turning Radius	900 mm (35.4")	616 mm (24.25")	900 mm (35")	650 mm (25.59")	530 mm (21")	641.5 mm (25.25")
Max Speed	3 mph (4.83 km/h)	4 mph (6.4 km/h)	4 mph (6.4 km/h)	5 mph (8 km/h)	4 mph (6.4 km/h)	4 mph (6.4 km/h)
Max. Obstacle Climb	30 mm	40 mm	60 mm	90 mm	60 mm	60 mm
Battery						
Battery Requirements	2 x 6.6 Ah Lithium Battery (Standard) 2 x 10 Ah Lithium Battery (Optional)	1 x 18 Ah (Standard) 1 x 10 Ah (Optional)	1 x 12 Ah Lithium Battery	1 x 20 Ah	2 x 50 Ah deep cycle	2 x 50 Ah
Total Weight without batteries	19.8 kg	24 kg	18 kg	27.8 kg	74 kg	86 kg
Battery Weight	6.6 Ah: 1.4 kg 10 Ah: 2.5 kg	18 Ah 3.4 kg 10 Ah 2.4 kg	1.8 kg	4.6 kg	17 kg	17 kg

*All specifications may vary slightly. For exact details on all our products. Please check the product specification sheet found online.

				
21 st 6 lbs (136 kg)	21 st 6 lbs (136 kg)	21 st 6 lbs (136 kg)	21 st 6 lbs (136 kg)	21 st 6 lbs (136 kg)
1118 mm (44")	1041 mm (41")	1022 mm (40.25")	1067 mm (42")	842 mm (33")
603 mm (23.75")	599 mm (22")	622 mm (24.5")	590 mm (23.25")	575 mm (22.5")
146 mm (5.75") Solid	126 mm (5") Solid	152 mm (6") Solid	152 mm (6") Solid	152 mm (6") Solid
254 mm (10") Solid	330 mm (15") Solid	355 mm (14") Solid	254 mm (10") Solid	229 mm (9") Solid
571 mm (22.5")	599 mm (22")	521 mm (20.5")	616 mm (24.25")	648 mm (25.5")
4 mph (6.4 km/h)	5 mph (8 km/h)	4 mph (6.4 km/h)	4 mph (6.4 km/h)	4 mph (6.4 km/h)
40 mm	45 mm	70 mm	55 mm	30 mm
2 x 30 Ah	2 x 30 Ah	2 x 50 Ah	2 x 50 Ah	2 x 18 Ah
42.5 kg (base only)	64.5 kg	56 kg (Base only)	91.5 kg	44.25 kg
11.5 kg	8.25 kg	16.9 kg	14.5 kg	14 kg

Accessories

XLR USB Charger & Phone Mounts



Charge your phone on the go!
This can be used while your powerchair or scooter is in motion.

Baskets & Bags



Our handy and versatile range of additional large baskets and storage bags make transporting your essentials hassle free.

Rear Oxygen Tank Holder



Featuring 2 thumb screws for safe transportation.

Rear View Mirror



Optional rear view mirror for enhanced visibility and safety.

Crutch & Walker Holders



Quick and easy access for your cane, crutch or walking stick with our selection of holders.

Foldable Travel Bags



Light and durable travel bags for the Quest, iGo, iGo Plus and iGo Fold.

Cup Holders



Satisfy your thirst on the move with our handy drinks holders, compatible with most of our range of products.

Replacement Keys



We offer a replacement key service.

PRIDE®

MOBILITY PRODUCTS LTD.
LIVE YOUR BEST®



Not found what you're looking for?
Why not check out our Large Scooter or Travel Scooter ranges?



SITTING PRETTY
HUDSON RANGE

Sitting Pretty
by Pride Mobility Ltd

Looking for Rise and Recline furniture?
Why not check out our
Sitting Pretty chair and bed ranges?

PRIDE[®]

MOBILITY PRODUCTS LTD.
LIVE YOUR BEST[®]



Large Scooter Range



Travel Scooter Range



Sitting Pretty Rise and Recline
Chair Range



Sitting Pretty Adjustable
Bed Range



REV 01 - 04/01/2023



Pride Mobility Products LTD
32 Wedgwood Road
Bicester, Oxon
OX26 4UL
ENGLAND

Pride Mobility Products LTD reserve the right to alter, at any time, without prior notice, the design, Specification, packaging or price without the incurring any obligation

01869 324600

sales@pride-mobility.co.uk

pride-mobility.co.uk